



# RACCORDI

IN GHISA MALLEABILE

# TSP



# RACCORDITALIA

## RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0454640	60	240	<b>1</b> - Curve 90° MF	3/8	TSP0001/0003	2,621
0104112	80	160		1/2	TSP0001/0004	2,571
0104113°	40	80		3/4	TSP0001/0005	4,291
0104114°	20	40		1	TSP0001/0006	6,061
0104115°	14	28		1 1/4	TSP0001/0007	10,085
0104116°	9	18		1 1/2	TSP0001/0008	13,925
0104128°	10	10		2	TSP0001/0009	22,474
0104118	6	6		2 1/2	TSP0001/0010	48,256
0104108	3	3		3	TSP0001/0011	62,448
0104120	2	2		4	TSP0001/0012	117,800
0104121	120	240	<b>2</b> - Curve 90° FF	3/8	TSP0002/0003	2,838
0104122°	70	140		1/2	TSP0002/0004	2,888
0104123°	40	80		3/4	TSP0002/0005	4,491
0104124°	20	40		1	TSP0002/0006	6,061
0104125°	12	24		1 1/4	TSP0002/0007	10,552
0104126°	18	18		1 1/2	TSP0002/0008	13,007
0104098°	10	10		2	TSP0002/0009	18,417
0104119°	4	4		2 1/2	TSP0002/0010	48,923
0104117	3	3		3	TSP0002/0011	64,018
0104089	2	2		4	TSP0002/0012	121,300
0104090°	80	160	<b>40</b> - Curve 45° MF	1/2	TSP0040/0004	2,888
0104091°	40	80		3/4	TSP0040/0005	3,890
0104092°	30	60		1	TSP0040/0006	5,493
0104093°	15	30		1 1/4	TSP0040/0007	9,233
0104094°	12	24		1 1/2	TSP0040/0008	11,454
0104095°	6	12		2	TSP0040/0009	18,183
0104107	6	6		2 1/2	TSP0040/0010	40,391
0104097	4	4		3	TSP0040/0011	44,916
0104088	2	2		4	TSP0040/0012	99,450
0104099°	80	160		<b>41</b> - Curve 45° FF	1/2	TSP0041/0004
0104100°	40	80	3/4		TSP0041/0005	4,324
0104101°	30	60	1		TSP0041/0006	5,693
0104102°	15	30	1 1/4		TSP0041/0007	10,118
0104103°	12	24	1 1/2		TSP0041/0008	13,307
0104104°	6	12	2		TSP0041/0009	18,751
0104105	3	6	2 1/2		TSP0041/0010	38,087
0104106	4	4	3		TSP0041/0011	48,589
0104045	2	2	4		TSP0041/0012	107,100
0213328	100	400	<b>90</b> - Gomiti a 90° FF		1/4	TSP0090/0002
0103987°	80	320		3/8	TSP0090/0003	1,285
0103988°	100	200		1/2	TSP0090/0004	0,918
0103989°	60	120		3/4	TSP0090/0005	1,419
0103990°	30	60		1	TSP0090/0006	2,220
0103991°	20	40		1 1/4	TSP0090/0007	3,990
0103992°	15	30		1 1/2	TSP0090/0008	6,528
0103993°	8	16		2	TSP0090/0009	7,647
0104005°	12	12		2 1/2	TSP0090/0010	20,654
0103995°	8	8		3	TSP0090/0011	31,007
0103985°	3	3		4	TSP0090/0012	55,602



## RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0103983°	50	100	85 - Curve di sorpasso FF	1/2	TSP0085/0004	3,723
0104065°	30	60		3/4	TSP0085/0005	5,593
0103997	100	400	92 - Gomiti a 90° MF	1/4	TSP0092/0002	1,602
0103998°	60	240		3/8	TSP0092/0003	1,469
0103999°	90	180		1/2	TSP0092/0004	1,102
0104000°	50	100		3/4	TSP0092/0005	1,619
0104001°	40	80		1	TSP0092/0006	2,755
0104002°	25	50		1 1/4	TSP0092/0007	4,692
0104003°	15	30		1 1/2	TSP0092/0008	7,096
0103975°	8	16		2	TSP0092/0009	9,384
0103996°	10	10		2 1/2	TSP0092/0010	23,359
0103994°	8	8		3	TSP0092/0011	30,756
0103966°	4	4		4	TSP0092/0012	52,497
0103967	40	80		96 - Gomiti a 90° FF, con bocchettone a sede conica	1/2	TSP0096/0004
0103968	30	60	3/4		TSP0096/0005	7,380
0103969	20	40	1		TSP0096/0006	10,419
0103970	12	24	1 1/4		TSP0096/0007	17,348
0103971	8	16	1 1/2		TSP0096/0008	20,705
0103972	4	8	2		TSP0096/0009	34,914
0103984	4	4	2 1/2		TSP0096/0010	72,033
0388520	4	4	3		TSP0096/0011	97,814
0388521	2	2	4		TSP0096/0012	186,500
0103974	36	72	97 - Gomiti a 90° MF, con bocchettone a sede piana		1/2	TSP0097/0004
0103965	25	50		3/4	TSP0097/0005	7,614
0103976	15	30		1	TSP0097/0006	9,701
0103977	24	24		1 1/4	TSP0097/0007	16,981
0103978	16	16		1 1/2	TSP0097/0008	22,508
0103979	4	8		2	TSP0097/0009	32,844
0103980°	40	80	98 - Gomiti a 90° MF, con bocchettone a sede conica	1/2	TSP0098/0004	6,395
0103981°	30	60		3/4	TSP0098/0005	8,131
0103982°	15	30		1	TSP0098/0006	11,137
0104014	12	24		1 1/4	TSP0098/0007	18,333
0103973°	8	16		1 1/2	TSP0098/0008	22,474
0104004°	4	8		2	TSP0098/0009	37,202
0104027	4	4		2 1/2	TSP0098/0010	79,480
0388522	4	4		3	TSP0098/0011	105,500
0388523	2	2		4	TSP0098/0012	202,500
0104028	100	200		120 - Gomiti a 45° FF	1/2	TSP0120/0004
0104029	60	120	3/4		TSP0120/0005	3,406
0104030	30	60	1		TSP0120/0006	5,009
0213329	20	40	1 1/4		TSP0120/0007	8,632
0213330	15	30	1 1/2		TSP0120/0008	10,586
0213331	12	24	2		TSP0120/0009	14,560
0104031	110	220	121 - Gomiti a 45° MF	1/2	TSP0121/0004	2,621
0104032	60	120		3/4	TSP0121/0005	3,506
0104033	40	80		1	TSP0121/0006	5,276

## RACCORDI IN GHISA MALLEABILE ZINGATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€	
0104034	80	320	<b>130</b> - Tì a 90° FF	1/4	TSP0130/0002	2,137	
0104046°	50	200		3/8	TSP0130/0003	1,803	
0104036°	60	120		1/2	TSP0130/0004	1,302	
0104026°	40	80		3/4	TSP0130/0005	2,137	
0104038°	20	40		1	TSP0130/0006	3,122	
0104039°	14	28		1 1/4	TSP0130/0007	5,777	
0104040°	12	24		1 1/2	TSP0130/0008	8,532	
0104041°	8	16		2	TSP0130/0009	12,022	
0104042°	8	8		2 1/2	TSP0130/0010	27,617	
0104043°	6	6		3	TSP0130/0011	36,918	
0104044°	1	2		4	TSP0130/0012	72,384	
0104016	80	160		<b>180</b> - Croci a 90°	3/8	TSP0180/0003	4,474
0104037°	40	80	1/2		TSP0180/0004	4,324	
0104035°	30	60	3/4		TSP0180/0005	6,545	
0104007°	20	40	1		TSP0180/0006	8,098	
0104008°	10	20	1 1/4		TSP0180/0007	10,920	
0104009°	8	16	1 1/2		TSP0180/0008	14,526	
0104010°	5	10	2		TSP0180/0009	21,756	
0104011	3	6	2 1/2		TSP0180/0010	47,320	
0104012	2	4	3		TSP0180/0011	56,771	
0104013	1	2	4		TSP0180/0012	95,961	
0213332°	70	140	<b>221</b> - Distribuzione a gomito		1/2	TSP0221/0004	4,074
0213333°	40	80			3/4	TSP0221/0005	5,961
0213334°	20	40		1	TSP0221/0006	8,298	
0213335°	15	30		1 1/4	TSP0221/0007	14,059	
0213336	12	24		1 1/2	TSP0221/0008	21,038	
0213337	5	10		2	TSP0221/0009	30,573	
0104292	120	480	<b>270</b> - Manicotti	1/4	TSP0270/0002	1,419	
0104263°	100	400		3/8	TSP0270/0003	1,235	
0104261°	120	240		1/2	TSP0270/0004	1,018	
0104282°	80	160		3/4	TSP0270/0005	1,402	
0104254°	50	100		1	TSP0270/0006	1,886	
0104255°	32	64		1 1/4	TSP0270/0007	2,938	
0104256°	18	36		1 1/2	TSP0270/0008	4,224	
0104257°	12	24		2	TSP0270/0009	6,294	
0104258°	8	16		2 1/2	TSP0270/0010	16,781	
0104259°	6	12		3	TSP0270/0011	20,972	
0104260°	3	6		4	TSP0270/0012	44,766	
0104272	150	600		<b>280</b> - Nippli	1/4	TSP0280/0002	1,452
0104262°	100	400	3/8		TSP0280/0003	1,569	
0104252°	140	280	1/2		TSP0280/0004	0,968	
0104264°	90	180	3/4		TSP0280/0005	1,218	
0104265°	60	120	1		TSP0280/0006	1,786	
0104266°	40	80	1 1/4		TSP0280/0007	2,938	
0104267°	25	50	1 1/2		TSP0280/0008	3,406	
0104268°	18	36	2		TSP0280/0009	6,128	
0104269°	10	20	2 1/2		TSP0280/0010	11,020	
0104270°	6	12	3		TSP0280/0011	13,307	
0104209°	3	6	4		TSP0280/0012	44,766	



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104274	200	800	290 - Tappi maschio con bordo	1/4	TSP0290/0002	0,868
0104219°	150	600		3/8	TSP0290/0003	0,751
0104150°	180	360		1/2	TSP0290/0004	0,734
0104151°	100	200		3/4	TSP0290/0005	0,985
0104152°	60	120		1	TSP0290/0006	1,118
0104153°	40	80		1 1/4	TSP0290/0007	2,020
0104154°	35	70		1 1/2	TSP0290/0008	2,454
0104155°	20	40		2	TSP0290/0009	4,274
0104156°	16	32		2 1/2	TSP0290/0010	9,384
0104157°	20	20		3	TSP0290/0011	12,606
0104169°	6	12		4	TSP0290/0012	22,307
0104159°	180	720	300 - Calotte esagonali	3/8	TSP0300/0003	1,018
0104149°	200	400		1/2	TSP0300/0004	1,152
0104161°	100	200		3/4	TSP0300/0005	1,402
0104162°	80	160		1	TSP0300/0006	1,669
0104163°	60	120		1 1/4	TSP0300/0007	2,538
0104164°	40	80		1 1/2	TSP0300/0008	3,155
0104165°	30	60		2	TSP0300/0009	5,877
0104166°	15	30		2 1/2	TSP0300/0010	10,703
0104167°	20	20		3	TSP0300/0011	11,938
0104139°	6	12		4	TSP0300/0012	25,597
0104160	300	600	310 - Controdadi	1/2	TSP0310/0004	0,884
0104158	180	360		3/4	TSP0310/0005	0,951
0104130	120	240		1	TSP0310/0006	1,335
0104131	90	180		1 1/4	TSP0310/0007	1,970
0104132	70	140		1 1/2	TSP0310/0008	2,254
0104133	40	80		2	TSP0310/0009	4,074
0104134	20	40		2 1/2	TSP0310/0010	9,166
0104135	20	40		3	TSP0310/0011	11,805
0104136	50	100	330 - Bocchettoni FF a sede piana	1/2	TSP0330/0004	3,723
0104148	30	60		3/4	TSP0330/0005	4,374
0104138°	20	40		1	TSP0330/0006	5,059
0104129°	15	30		1 1/4	TSP0330/0007	8,582
0104140°	10	20		1 1/2	TSP0330/0008	11,087
0104141°	6	12		2	TSP0330/0009	18,400
0104142	8	8		2 1/2	TSP0330/0010	40,541
0104143	8	8		3	TSP0330/0011	62,031
0104144	4	4		4	TSP0330/0012	132,600
0104145	50	100		331 - Bocchettoni MF a sede piana	1/2	TSP0331/0004
0104146°	30	60	3/4		TSP0331/0005	5,025
0104178°	20	40	1		TSP0331/0006	6,178
0104137°	15	30	1 1/4		TSP0331/0007	10,769
0104168°	10	20	1 1/2		TSP0331/0008	13,291
0104191°	6	12	2		TSP0331/0009	20,771
0104192	8	8	2 1/2		TSP0331/0010	47,437
0104193	8	8	3		TSP0331/0011	69,345



## RACCORDI IN GHISA MALLEABILE ZINGATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€	
0213349	60	240	<b>340</b> - Bocchettoni FF a sede conica	1/4	TSP0340/0002	6,478	
0104194	70	140		3/8	TSP0340/0003	6,077	
0104195°	40	80		1/2	TSP0340/0004	4,692	
0104196°	30	60		3/4	TSP0340/0005	5,426	
0104197°	20	40		1	TSP0340/0006	6,311	
0104198°	15	30		1 1/4	TSP0340/0007	10,536	
0104210°	10	20		1 1/2	TSP0340/0008	12,573	
0104200°	6	12		2	TSP0340/0009	20,287	
0104190°	8	8		2 1/2	TSP0340/0010	42,996	
0104202°	8	8		3	TSP0340/0011	62,382	
0104203°	2	4		4	TSP0340/0012	126,100	
0213350	60	240		<b>341</b> - Bocchettoni MF a sede conica	1/4	TSP0341/0002	7,029
0213351	70	140	3/8		TSP0341/0003	5,593	
0104204°	40	80	1/2		TSP0341/0004	4,725	
0104205°	30	60	3/4		TSP0341/0005	5,977	
0104206°	20	40	1		TSP0341/0006	7,163	
0104207°	15	30	1 1/4		TSP0341/0007	10,920	
0103986°	10	20	1 1/2		TSP0341/0008	14,192	
0104068°	6	12	2		TSP0341/0009	22,224	
0104069°	6	6	2 1/2		TSP0341/0010	48,840	
0104070°	6	6	3		TSP0341/0011	76,257	
0104071	2	2	4		TSP0341/0012	139,900	
0213352	240	480	<b>529</b> - Manicotti MF		3/8	TSP0529/0003	1,903
0104072°	140	280		1/2	TSP0529/0004	1,920	
0104073°	80	160		3/4	TSP0529/0005	2,654	
0104074°	50	100		1	TSP0529/0006	4,157	
0104075°	30	60		1 1/4	TSP0529/0007	5,593	
0104087°	20	40		1 1/2	TSP0529/0008	7,397	
0104077°	15	30		2	TSP0529/0009	12,372	
0104067°	150	300	<b>531</b> - Nippli semplici	1/2	TSP0531/0004	1,285	
0104079°	100	200		3/4	TSP0531/0005	1,853	
0104080	75	150		1	TSP0531/0006	2,721	
0104081	50	100		1 1/4	TSP0531/0007	5,910	
0104082	25	50		1 1/2	TSP0531/0008	6,528	
0104083	35	35		2	TSP0531/0009	11,003	
0213353	8	16		2 1/2	TSP0531/0010	16,714	
0213354	6	12		3	TSP0531/0011	21,990	
0104025°	120	240		<b>240</b> - Manicotti ridotti FF	1/2 x 3/8	TSP0240/002R	1,519
0213338	90	180			3/4 x 3/8	TSP0240/003R	2,070
0104015°	90	180	3/4 x 1/2		TSP0240/004R	1,820	
0213339	60	120	1 x 3/8		TSP0240/005R	2,888	
0104006°	60	120	1 x 1/2		TSP0240/006R	2,337	
0104017°	50	100	1 x 3/4		TSP0240/007R	2,153	
0104018°	40	80	1 1/4 x 1/2		TSP0240/009R	4,424	
0104019°	40	80	1 1/4 x 3/4		TSP0240/010R	3,890	
0104020°	30	60	1 1/4 x 1		TSP0240/011R	3,756	
0213340	30	60	1 1/2 x 1/2		TSP0240/012R	6,261	



## RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€	
0213341°	30	60	240 - Manicotti ridotti FF	1 1/2 x 3/4	TSP0240/013R	5,810	
0104021°	25	50		1 1/2 x 1	TSP0240/014R	4,591	
0104022°	25	50		1 1/2 x 1 1/4	TSP0240/015R	5,092	
0213342	18	36		2 x 1/2	TSP0240/016R	9,166	
0458845	18	36		2 x 3/4	TSP0240/017R	9,434	
0104023	18	36		2 x 1	TSP0240/018R	9,083	
0104024°	15	30		2 x 1 1/4	TSP0240/019R	8,849	
0104147°	15	30		2 x 1 1/2	TSP0240/020R	7,580	
0561009	10	20		2 1/2 x 1	TSP0240/021R	17,298	
0104271°	8	16		2 1/2 x 2	TSP0240/024R	18,851	
0388524	6	12		3 x 1	TSP0240/025R	22,157	
0388525	6	12		3 x 1 1/4	TSP0240/026R	22,157	
0388526	6	12		3 x 1 1/2	TSP0240/027R	22,074	
0104127	6	12		3 x 2	TSP0240/028R	29,721	
0104233	6	12		3 x 2 1/2	TSP0240/029R	32,025	
0388527	3	6		4 x 2	TSP0240/030R	50,977	
0388528	3	6		4 x 2 1/2	TSP0240/031R	53,265	
0213343	3	6		4 x 3	TSP0240/032R	55,185	
0388529	200	800		241 - Riduzioni MF	3/8 x 1/4	TSP0241/106R	1,185
0104234	300	600			1/2 x 1/4	TSP0241/001R	0,935
0104235°	300	600	1/2 x 3/8		TSP0241/002R	0,935	
0104236°	150	300	3/4 x 3/8		TSP0241/003R	1,269	
0104237°	160	320	3/4 x 1/2		TSP0241/004R	1,001	
0213344°	90	180	1 x 3/8		TSP0241/005R	2,037	
0104238°	90	180	1 x 1/2		TSP0241/006R	1,435	
0104239°	90	180	1 x 3/4		TSP0241/007R	1,419	
0213345	75	150	1 1/4 x 3/8		TSP0241/008R	3,556	
0104251°	60	120	1 1/4 x 1/2		TSP0241/009R	2,387	
0104241°	60	120	1 1/4 x 3/4		TSP0241/010R	2,187	
0104231°	60	120	1 1/4 x 1		TSP0241/011R	1,936	
0213347	30	60	1 1/2 x 3/8		TSP0241/139R	4,341	
0104243°	30	60	1 1/2 x 1/2		TSP0241/012R	3,122	
0104244°	30	60	1 1/2 x 3/4		TSP0241/013R	4,024	
0104245°	40	80	1 1/2 x 1		TSP0241/014R	2,638	
0104246°	40	80	1 1/2 x 1 1/4		TSP0241/015R	2,588	
0104247°	25	50	2 x 1/2		TSP0241/016R	6,061	
0104248°	25	50	2 x 3/4		TSP0241/017R	5,994	
0104249°	25	50	2 x 1		TSP0241/018R	5,126	
0104221°	25	50	2 x 1 1/4		TSP0241/019R	4,842	
0104242°	25	50	2 x 1 1/2		TSP0241/020R	4,508	
0104240°	15	30	2 1/2 x 1		TSP0241/021R	9,717	
0104212°	15	30	2 1/2 x 1 1/4		TSP0241/022R	10,669	
0104213°	15	30	2 1/2 x 1 1/2		TSP0241/023R	10,068	
0104214°	15	30	2 1/2 x 2		TSP0241/024R	8,415	
0104215°	10	20	3 x 1		TSP0241/025R	14,460	
0104216°	10	20	3 x 1 1/4		TSP0241/026R	14,460	
0104217°	10	20	3 x 1 1/2		TSP0241/027R	14,109	
0104218°	10	20	3 x 2		TSP0241/028R	10,853	
0104230°	10	20	3 x 2 1/2		TSP0241/029R	12,322	
0213346	5	10	4 x 1 1/2		TSP0241/114R	35,682	
0104220°	5	10	4 x 2	TSP0241/030R	28,987		
0104211°	5	10	4 x 2 1/2	TSP0241/031R	23,610		
0104222°	5	10	4 x 3	TSP0241/032R	22,658		



RACCORDI IN GHISA MALLEABILE ZINCATI						
CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104223°	140	280	<b>245</b> - Nippli ridotti MM	1/2 x 3/8	TSP0245/002R	1,953
0104224°	80	160		3/4 x 1/2	TSP0245/004R	1,903
0104225°	60	120		1 x 1/2	TSP0245/006R	3,473
0104226°	60	120		1 x 3/4	TSP0245/007R	2,204
0213348	40	80		1 1/4 x 1/2	TSP0245/009R	5,410
0104227°	40	80		1 1/4 x 3/4	TSP0245/010R	4,808
0104228°	40	80		1 1/4 x 1	TSP0245/011R	3,506
0104229	30	60		1 1/2 x 3/4	TSP0245/013R	5,092
0104253°	25	50		1 1/2 x 1	TSP0245/014R	7,397
0104284°	25	50		1 1/2 x 1 1/4	TSP0245/015R	4,441
0104250°	20	40		2 x 1	TSP0245/018R	7,280
0104275°	20	40		2 x 1 1/4	TSP0245/019R	8,732
0104276°	18	36		2 x 1 1/2	TSP0245/020R	8,332
0388530	10	20		2 1/2 x 1 1/2	TSP0245/023R	13,107
0104277°	15	30		2 1/2 x 2	TSP0245/024R	19,168
0104278°	6	12		3 x 2	TSP0245/028R	24,612
0104279°	6	12		3 x 2 1/2	TSP0245/029R	29,471
0104280°	150	300	<b>246</b> - Manicotti ridotti MF	1/2 x 3/8	TSP0246/002R	1,870
0104281°	100	200		3/4 x 1/2	TSP0246/004R	2,087
0104293°	60	120		1 x 1/2	TSP0246/006R	3,022
0104283°	60	120		1 x 3/4	TSP0246/007R	3,122
0104273°	35	70		1 1/4 x 3/4	TSP0246/010R	5,493
0104285°	35	70		1 1/4 x 1	TSP0246/011R	4,074
0388531	25	50		1 1/2 x 3/4	TSP0246/013R	6,278
0104286°	25	50		1 1/2 x 1	TSP0246/014R	6,545
0104287°	25	50		1 1/2 x 1 1/4	TSP0246/015R	5,877
0104288	20	40		2 x 1	TSP0246/018R	10,987
0104289°	20	40		2 x 1 1/4	TSP0246/019R	9,283
0104290°	20	40		2 x 1 1/2	TSP0246/020R	10,769
0104291°	30	30	2 1/2 x 2	TSP0246/024R	15,962	
0104084°	120	240	<b>90r</b> - Gomiti a 90° ridotti FF	1/2 x 3/8	TSP090R/002R	1,719
0104085°	80	160		3/4 x 1/2	TSP090R/004R	1,953
0104057°	50	100		1 x 1/2	TSP090R/006R	2,788
0104078°	50	100		1 x 3/4	TSP090R/007R	2,955
0104076	40	80		1 1/4 x 1/2	TSP090R/009R	4,959
0104048°	30	60		1 1/4 x 3/4	TSP090R/010R	6,061
0104049°	20	40		1 1/4 x 1	TSP090R/011R	4,825
0104050	30	60		1 1/2 x 1/2	TSP090R/012R	10,018
0104051	20	40		1 1/2 x 3/4	TSP090R/013R	7,881
0104052°	20	40		1 1/2 x 1	TSP090R/014R	7,764
0104053°	15	30		1 1/2 x 1 1/4	TSP090R/015R	7,697
0104054	14	28		2 x 1	TSP090R/018R	11,755
0104066°	10	20		2 x 1 1/4	TSP090R/019R	12,122
0104056°	10	20		2 x 1 1/2	TSP090R/020R	12,473
0104047	80	160		<b>130r</b> - Ti a 90° ridotti o maggiorati	1/2 x 3/8 x 1/2	TSP130R/034R
0213355	80	160	1/2 x 1/2 x 3/8		TSP130R/035R	2,821
0104058°	60	120	1/2 x 3/4 x 1/2		TSP130R/036R	2,671
0104059	50	100	3/4 x 3/8 x 3/4		TSP130R/038R	2,955
0104060°	50	100	3/4 x 1/2 x 1/2		TSP130R/039R	2,471
0104061°	40	80	3/4 x 1/2 x 3/4		TSP130R/040R	2,287
0104062°	40	80	3/4 x 3/4 x 1/2		TSP130R/042R	2,788
0459416	30	60	1 x 3/8 x 1		TSP130R/044R	4,625
0104063	40	80	1 x 1/2 x 1/2		TSP130R/045R	4,892
0104064°	40	80	1 x 1/2 x 3/4		TSP130R/046R	3,656
0104096°	30	60	1 x 1/2 x 1		TSP130R/047R	3,239





## RACCORDI IN GHISA MALLEABILE ZINCATI

CODICE	MINIMO VENDITA	BOX	DESCRIZIONE	MISURE	CODICE FORNITORE	€
0104055°	40	80	130r - Ti a 90° ridotti o maggiorati	1 x 3/4 x 1/2	TSP130R/048R	4,591
0104086°	30	60		1 x 3/4 x 3/4	TSP130R/049R	3,756
0104109°	24	48		1 x 3/4 x 1	TSP130R/050R	3,289
0104110°	30	60		1 x 1 x 1/2	TSP130R/051R	3,857
0104111°	30	60		1 x 1 x 3/4	TSP130R/052R	4,241
0213356°	20	40		1 x 1 1/4 x 1	TSP130R/053R	7,513
0213357	15	30		1 x 1 1/2 x 1	TSP130R/054R	9,217
0104208°	20	40		1 1/4 x 1/2 x 1	TSP130R/055R	5,827
0104180°	20	40		1 1/4 x 1/2 x 1 1/4	TSP130R/056R	5,309
0213358	20	40		1 1/4 x 3/4 x 3/4	TSP130R/057R	7,430
0104201°	20	40		1 1/4 x 3/4 x 1	TSP130R/058R	6,712
0104199°	20	40		1 1/4 x 3/4 x 1 1/4	TSP130R/059R	5,343
0104171°	20	40		1 1/4 x 1 x 1	TSP130R/060R	7,179
0104172°	20	40		1 1/4 x 1 x 1 1/4	TSP130R/061R	5,777
0104173°	20	40		1 1/4 x 1 1/4 x 1/2	TSP130R/062R	7,998
0104174°	20	40		1 1/4 x 1 1/4 x 3/4	TSP130R/063R	8,883
0104175	15	30		1 1/4 x 1 1/4 x 1	TSP130R/064R	7,864
0388532	12	24		1 1/4 x 1 1/2 x 1 1/4	TSP130R/066R	10,502
0388536	8	16		1 1/4 x 2 x 1 1/4	TSP130R/148R	13,808
0388537	18	36		1 1/2 x 3/8 x 1 1/2	TSP130R/149R	9,884
0561010	18	36		1 1/2 x 1/2 x 1/2	TSP130R/152R	9,834
0388535	15	30		1 1/2 x 1/2 x 1 1/4	TSP130R/137R	7,764
0104176°	18	36		1 1/2 x 1/2 x 1 1/2	TSP130R/067R	7,280
0104232	12	24		1 1/2 x 3/4 x 1 1/4	TSP130R/138R	10,152
0104177°	15	30		1 1/2 x 3/4 x 1 1/2	TSP130R/068R	7,380
0388533	15	30		1 1/2 x 1 x 1	TSP130R/069R	8,866
0389164°	12	24		1 1/2 x 1 x 1 1/4	TSP130R/070R	8,716
0104189°	15	30		1 1/2 x 1 x 1 1/2	TSP130R/071R	7,914
0213359	12	24		1 1/2 x 1 1/4 x 1 1/4	TSP130R/072R	10,486
0104179°	12	24		1 1/2 x 1 1/4 x 1 1/2	TSP130R/073R	10,135
0104170	12	24		1 1/2 x 1 1/2 x 1/2	TSP130R/074R	10,736
0104181	12	24		1 1/2 x 1 1/2 x 3/4	TSP130R/075R	11,471
0104182	12	24		1 1/2 x 1 1/2 x 1	TSP130R/076R	11,287
0388534	8	16		1 1/2 x 2 x 1 1/2	TSP130R/078R	14,410
0213360	12	24		1 1/2 x 1 1/2 x 1 1/4	TSP130R/077R	11,721
0104183°	10	20		2 x 1/2 x 2	TSP130R/079R	10,051
0459419	10	20		2 x 3/4 x 1 1/2	TSP130R/080R	12,389
0104184°	10	20		2 x 3/4 x 2	TSP130R/081R	14,042
0104185°	10	20		2 x 1 x 2	TSP130R/082R	10,202
0213361	8	16		2 x 1 1/4 x 1 1/4	TSP130R/083R	14,794
0104186°	8	16		2 x 1 1/4 x 2	TSP130R/084R	14,042
0104187°	8	16		2 x 1 1/2 x 1 1/2	TSP130R/085R	14,777
0104188°	8	16		2 x 1 1/2 x 2	TSP130R/086R	10,185
0213362	8	16		2 x 2 x 1 1/2	TSP130R/089R	15,027
0213363	5	10		2 1/2 x 1 x 2 1/2	TSP130R/090R	20,838
0213364	5	10		2 1/2 x 1 1/4 x 2 1/2	TSP130R/091R	27,818
0213365°	5	10		2 1/2 x 1 1/2 x 2 1/2	TSP130R/092R	24,211
0213366°	4	8		2 1/2 x 2 x 2 1/2	TSP130R/094R	27,250
0213367	3	6		3 x 1 x 3	TSP130R/095R	33,261
0213368	3	6		3 x 1 1/4 x 3	TSP130R/096R	38,204
0213369	3	6		3 x 1 1/2 x 3	TSP130R/097R	38,354
0213370°	3	6		3 x 2 x 3	TSP130R/098R	35,632
0213371	3	6		3 x 2 1/2 x 3	TSP130R/099R	40,474
0213372°	4	4		4 x 2 x 4	TSP130R/101R	62,749